

HYB Business Equipment The All-in-One Solution for Business Success



Efficiency
Meets Performance





HYB-M37A AD/ADN/ADNW

Productivity. Reliability. Security.

Compact and lightweight, the HYB-M37A-AD, HYB-M37A-ADN, and HYB-M37A-ADNW multifunction devices seamlessly integrate printing, scanning, copying, and touchscreen convenience, making them ideal for small workgroups seeking efficiency and reliability. Engineered with versatility in mind, these units are designed to fit into virtually any environment, from the cozy confines of a home office to the bustling floors of a corporate headquarters, and even educational institutions or creative studios that require versatile, dependable equipment.









Duplex ADF Multi-Function Printer				
Product Specifications	HYB-M37A-AD	HYB-M37A-ADN	HYB-M37A-ADNW	
Printing			<u>'</u>	
Printing Speed		30ppm (A4)		
Print Resolution		Up to 1200dpi (MAX)		
Time to First Page: As fast as		Less than 4 seconds		
Monthly Duty Cycle		60,000 pages		
Duplex Printing		Automatic		
Copying				
Printing Speed		30ppm (A4)		
Time to First Page: As fast as		Less than 4 seconds		
Continuous Copying		1 to 99 pages		
Scanning				
Scan Type		Flatbed + Automatic Document Feeder (ADI	F)	
Color Modes		Color / Monochrome / Grayscale		
Scanning Bit Depth	24-bit			
Scan Formats	JPG, PNG, BMP, TIFF, PDF, etc.			
ADF Capacity		50 sheets		
ADF Scan Speed		20ppm (A4)		
Paper Handling				
Paper Input Capacity: Up to		150 sheets		
Paper Output Capacity: Up to		150 sheets		
General Information				
Processor		667MHz CPU		
Memory		512MB		
Interface	USB 2.0	USB2.0 + Network	USB2.0 + Network + WiFi	
Compatible Operating Systems		Windows XP/7/8/10/11		
Warranty		Three-year warranty with lifetime maintenan	ce	















HYB-M38A AD/ADN/ADNW

Efficiency. Dependability. Safety.

Compact and lightweight, the HYB-M38A-AD, HYB-M38A-ADN, and HYB-M38A-ADNW multifunction devices seamlessly integrate printing, scanning, copying, and touchscreen convenience, making them ideal for small workgroups seeking efficiency and reliability. Engineered with versatility in mind, these units are designed to fit into virtually any environment, from the cozy confines of a home office to the bustling floors of a corporate headquarters, and even educational institutions or creative studios that require versatile, dependable equipment.









Duplex ADF Multi-Function Printer				
Product Specifications	HYB-M38A-AD HYB-M38A-ADN HYB-M38A-ADNW			
Printing				
Printing Speed		32ppm (A4)		
Print Resolution		Up to 1200dpi (MAX)		
Time to First Page: As fast as		Less than 4 seconds		
Monthly Print Volume		60,000 pages		
Duplex Printing		Automatic		
Copying				
Printing Speed		32ppm (A4)		
Time to First Page: As fast as		Less than 4 seconds		
Continuous Copying		1 to 99 pages		
Scanning				
Scan Type		Flatbed + ADF (Automatic Document Feeder)	
Color Modes	Color, Black and White, Grayscale			
Scan Depth	24-bit			
Scan Formats	JPG, PNG, BMP, TIFF, PDF, etc.			
ADF Capacity	50 sheets			
ADF Scan Speed		22ppm (A4)		
Paper Handling				
Paper Input Capacity: Up to		Manual & Automatic Combined (160 sheets)		
Paper Output Capacity: Up to		100 sheets		
General Information				
CPU		667MHz		
Memory		512MB		
Interfaces	USB2.0	USB2.0 + Network USB2.0 + Network + WiFi		
Operating Systems	Windows XP/7/8	3/10/11, Deepin UOS (x86, ARM, MIPS), Kylin O	S (x86, ARM, MIPS)	
Warranty		Three-year warranty, lifetime maintenance		
Drum Unit Model		CP-0825A		
Drum Unit Capacity		3,300 pages (*at 5% coverage)		















HYB-M30A AD/AN/ADN

Efficiency. Dependability. Safety.

Compact and lightweight, the HYB-M30A-AD, HYB-M30A-AN, and HYB-M30A-ADN multifunction devices seamlessly integrate printing, scanning, copying, and touchscreen convenience, making them ideal for small workgroups seeking efficiency and reliability. Engineered with versatility in mind, these units are designed to fit into virtually any environment, from the cozy confines of a home office to the bustling floors of a corporate headquarters, and even educational institutions or creative studios that require versatile, dependable equipment.









Duplex ADF Multi-Function Printer				
Product Specifications	HYB-M30A-AD	HYB-M30A-AN	HYB-M30A-ADN	
Printing			\.	
Printing Speed		30ppm (A4)		
Print Resolution		1200dpi (MAX)		
Time to First Page: As fast as		Less than 4 seconds		
Recommended Monthly Page Volume ²		60,000 pages		
Duplex Printing	Automatic	Manual	Automatic	
Copying				
Printing Speed		30ppm (A4)		
Time to First Page: As fast as		Less than 4 seconds		
Continuous Copying		1 to 99 pages		
Scanning				
Scan Type		Flatbed + ADF (Automatic Document Feeder	7)	
ADF Capacity	50 sheets			
ADF Scan Speed		20ppm (A4)		
Scan Depth		24-bit		
Scan Formats		JPG, PNG, BMP, TIFF, PDF, etc.		
Color Modes		Color, Black and White, Grayscale		
Paper Handling				
Paper Input Capacity: Up to		150 sheets		
Paper Output Capacity: Up to	150 sheets			
General Information				
CPU		667MHz		
Memory		512MB		
Interface	USB2.0	USB2.0	+ Network	
Operating Systems		Windows XP/7/8/10/11		
Warranty		Three-year warranty, lifetime maintenance		















HYB-M38-D/DN/DNW

Efficiency. Dependability. Safety.

Meet the HYB-M38-D, HYB-M38-DN, and HYB-M38-DNW multifunction devices – your ultimate all-in-one partners for efficiency and reliability across any setting. Sleek, compact, and lightweight, they flawlessly integrate printing, copying, scanning capabilities, making every task a breeze. Designed with versatility in mind, these versatile devices adapt perfectly to various environments, from cozy home offices to bustling corporate environments, educational institutions, and creative studios.









Duplex Flatbed Multi-Function Printer				
Product Specifications	ns HYB-M38-D HYB-M38-DN HYB-M38-DNW			
Printing				
Printing Speed		30PPM (A4)		
Print Resolution		1200DPI (MAX)		
Time to First Page: As fast as		Less than 4 seconds		
Recommended Monthly Page Volume ²		60,000 pages		
Duplex Printing		Automatic		
Copying				
Printing Speed		30PPM (A4)		
Time to First Page: As fast as		Less than 4 seconds		
Continuous Copying		1 to 99 pages		
Scanning				
Scan Size		216*297mm		
Paper Handling				
Paper Input Capacity: Up to		150 sheets		
Paper Output Capacity: Up to		150 sheets		
General Information				
Interface	USB2.0	USB2.0 + Network	USB2.0 + Network + WiFi	
Paper Weight		60~200g		
Media Types		Standard A4/A5/B5, etc.		
Operating Systems	Windows XP/7/8/10/11			
CPU & Memory	667MHz/512MB			
Power Supply	AC200-240, 50/60Hz, 5A			
Warranty		Three-year warranty, lifetime maintenance		
Certifications	3C, Energy-saving	, Energy Efficiency, China Environmental Label	ling (Ten Rings), RoHS	













HYB-M301-DW/NW/DNW


Productivity. Reliability. Security.

Meet the HYB-M301-DW, HYB-M301-NW, and HYB-M301-DNW multifunction devices – your ultimate all-in-one partners for efficiency and reliability across any setting. Sleek, compact, and lightweight, they flawlessly integrate printing, copying, scanning capabilities, making every task a breeze. Designed with versatility in mind, these versatile devices adapt perfectly to various environments, from cozy home offices to bustling corporate environments, educational institutions, and creative studios.









Duplex Flatbed Multi-Function Printer			
Product Specifications	HYB-M301-DW	HYB-M301-NW	HYB-M301-DNW
Printing		·	
Printing Speed		30PPM (A4)	
Print Resolution		1200DPI (MAX)	
Time to First Page: As fast as		Less than 4 seconds	
Recommended Monthly Page Volume ²		60,000 pages	
Duplex Printing	Automatic	Manual	Automatic
Copying			
Printing Speed		30PPM (A4)	
Time to First Page: As fast as		Less than 4 seconds	
Continuous Copying		1 to 99 pages	
Scanning			
Scan Size		216*297mm	
Paper Handling			
Paper Input Capacity: Up to		150 sheets	
Paper Output Capacity: Up to		150 sheets	
General Information			
Interface	USB2.0 + WiFi	USB2.0 + N	Network + WiFi
Paper Weight		60~200g	
Media Types		Standard A4/A5/B5, etc.	
Operating Systems	Windows XP/7/8/10/11		
CPU & Memory	667MHz/512MB		
Power Supply	AC200-240, 50/60Hz, 5A		
Warranty		Three-year warranty, lifetime maintenance	
Certifications	3C, Energy-saving,	Energy Efficiency, China Environmental Labeli	ing (Ten Rings), RoHS















HYB-M268/N/NW

Efficiency. Dependability. Safety.

Meet the HYB-M268, HYB-M268-N, and HYB-M268-NW multifunction devices – your ultimate all-in-one partners for efficiency and reliability across any setting. Sleek, compact, and lightweight, they flawlessly integrate printing, copying, scanning capabilities, making every task a breeze. Designed with versatility in mind, these versatile devices adapt perfectly to various environments, from cozy home offices to bustling corporate environments, educational institutions, and creative studios.









	Single-Sided Flatbed	Multi-Function Printe	r	
Product Specifications	HYB-M268	HYB-M268-N	HYB-M268-NW	
Printing				
Printing Speed		26PPM (A4)		
Print Resolution		1200DPI (MAX)		
Time to First Page: As fast as		8 seconds		
Recommended Monthly Page Volume ²		60,000 pages		
Duplex Printing		Manual		
Copying				
Printing Speed		26PPM (A4)		
Time to First Page: As fast as		8 seconds		
Continuous Copying		1 to 99 pages		
Scanning				
Scan Size		216*297mm		
Paper Handling				
Paper Input Capacity: Up to		150 sheets		
Paper Output Capacity: Up to		150 sheets		
General Information				
Interface	USB2.0	USB2.0 + Network	USB2.0 + Network + WiF	
Paper Weight		60~200g		
Media Types		Standard A4/A5/B5, etc.		
Operating Systems	Windows XP/7/8/10/11			
CPU & Memory		667MHz/512MB		
Power Supply		AC200-240, 50/60Hz, 5A		
Warranty		Three-year warranty, lifetime maintenance		
Certifications	3C, Energy-saving, E	nergy Efficiency, China Environmental Labe	ling (Ten Rings), RoHS	















HYB-M26/N/NW

Efficiency. Dependability. Safety.

Meet the HYB-HYB-M26,HYB-M26-N and HYB-M26-NW multifunction devices – your ultimate all-in-one partners for efficiency and reliability across any setting. Sleek, compact, and lightweight, they flawlessly integrate printing, copying, scanning and touchscreen convenience, making every task a breeze. Designed with versatility in mind, these versatile devices adapt perfectly to various environments, from cozy home offices to bustling corporate environments, educational institutions, and creative studios.









	Single-Sided Flatbed	Multi-Function Printer	
Product Specifications	HYB-M26	HYB-M26-N	HYB-M26-NW
Printing	- Shiri		
Printing Speed		25PPM (A4)	
Print Resolution		1200DPI (MAX)	
Time to First Page: As fast as		8 seconds	
Recommended Monthly Page Volume ²		30,000 pages	
Duplex Printing		Manual	
Copying			
Printing Speed		25PPM (A4)	
Time to First Page: As fast as		8 seconds	
Continuous Copying		1 to 99 pages	
Scanning			
Scan Size	216*297mm		
Paper Handling			
Paper Input Capacity: Up to		150 sheets	
Paper Output Capacity: Up to		150 sheets	
General Information			
Interface	USB2.0	USB2.0 + Network	USB2.0 + Network + WiFi
Paper Weight		60~200g	
Media Types	Standard A4/A5/B5, etc.		
Operating Systems	Windows XP/7/8/10/11		
CPU & Memory	667MHz/512MB		
Power Supply	AC200-240, 50/60Hz, 5A		
Warranty		Three-year warranty, lifetime maintenance	
Certifications	3C, Energy-saving, E	nergy Efficiency, China Environmental Labelin	g (Ten Rings), RoHS















HYB-188MC 24/28DW

Small. Dependable. Secure.

Compact and lightweight, the HYB-188MC24DW and HYB-188MC28DW multifunction devices offer color printing, scanning, copying, faxing, and touch-screen convenience for small workgroups. Both models are designed to fit almost anywhere and feature built-in Wi-Fi for mobile users, along with HYB full-spectrum security to safeguard sensitive information.







A4 Colour Multifunction Printer			
Product Specifications	HYB-188MC24DW	HYB-188MC28DW	
Printing			
Display	2.8 inch (7.2 cm) LC	D touch panel	
Time to First Page	As fast as: Black: 10.6 seconds Color: 10.6 seconds	As fast as: Black: 10.5 seconds Color: 10.5 seconds	
Print Resolution	Black: 4800 CQ (2400 x 600 dpi) / Co	olor: 4800 CQ (2400 x 600 dpi)	
Memory	Standard: 512 MB / Maximum: 512 MB	Standard: 1GB / Maximum: 1GB	
Hard Disk	Not Availa	ble	
Recommended Monthly Page Volume	600 - 2500 pages ²	750 - 5000 pages ²	
Maximum Monthly Duty Cycle	Up to: 50000 pages per month 3	Up to: 75000 pages per month 3	
Copying			
Time to First Copy	As fast as: Black: 10.6 seconds / Color: 10.6 seconds	As fast as: Black: 10.5 seconds / Color: 10.5 seconds	
Scanning			
Scanner Type / ADF Scan	Flatbed scanner with ADF / Simplex	Flatbed scanner with ADF / DADF	
A4/Ltr Simplex Scan Speed	Single-sided 21 pages per minute	Single-sided 50 pages / Double-sided 100 images per minute	
ADF Paper Input Capacity	Up to: 50 pa	ages	
Faxing			
Modem Speed	Max is 33,600 bps, V.34	Half-Duplex Kbps	
Supplies ¹			
Laser Cartridge Yields	up to: 4,500 ⁵ -page Black High Yield Cartridge / up to: 4,500 ⁵ -page Color (CMY) High Yield Cartridges / up to: 1,500 ⁵ -page Black and Color (CMYK) Cartridges	up to: 6,000 ⁵ -page Black High Yield Cartridge / up to: 6,700 ⁵ - page Color (CMY) High Yield Cartridges / up to: 1,500 ⁶ -page Black and Color (CMYK) Cartridges	
Cartridge(s) Shipping with Product	750 ^s -page Black Return Program Toner Cartridge ^s , 500 ^s -page Color (CMY) Return Program Toner Cartridge ^s	1500 s-page Black Return Program Toner Cartridge s, 1500 s- page Color (CMY) Return Program Toner Cartridge s	
Paper Handling			
Included Paper Handling	100-Sheet Output Bin, Integrated Duplex, Sing	le-Sheet Manual Feed, 250-Sheet Input	
Paper Input Capacity	Up to: Standard: 250+1 pages	Maximum: 250+1 pages	
Paper Output Capacity	Up to: Standard: 100 pages	Maximum: 100 pages	
Media Types Supported	Hagaki Card, Paper Labels, Card Stock, Plain Paper, Envelopes,	Glossy Paper, Refer to the Paper & Specialty Media Guide	
Media Sizes Supported	A6, Oficio, 7 3/4 Envelope, 9 Envelope, JIS-B5, A4, Legal, A5, Hagaki Universal, DL Envelope, I		
General Information 6			
Standard Ports	Gigabit Ethernet (10/100/1000), Front Hi-Speed USB Port Compatible with USB 2.0 Specification (Type A), 802.11b/g/n Wireless, USB 2.0 Specification Hi-Speed Certified (Type B)	Gigabit Ethernet (10/100/1000), Front Hi-Speed USB Port Compatible with USB 2.0 Specification (Type A), 802.11ac Wireless, USB 2.0 Specification Hi-Speed Certified (Type B)	
Noise Level	Operating: 50 dBA (Print) / 50 dBA (Copy) / 44 dBA (Scan)	Operating: 51 dBA (Print) / 52 dBA (Copy)	
Specified Operating Environment	Humidity: 8 to 80% Relative Humidity / Altitude: 0 - 3048 Meter	, , , , , , , , , , , , , , , , , , , ,	
Limited Warranty	See Statement of Limited Warranty: 1-Yea		
Size / Weight	H x W x D: 13.6 x 16.2 x		
ENERGY STAR Typical Electricity	TEC: 0.35 kilowatt-hours per week	TEC: 0.37 kilowatt-hours per week	













HYB-188M 38/40/42ADN

Productivity. Reliability. Security.

Compact and lightweight, the HYB-188M38ADN, HYB-188M40ADN, and HYB-188M42ADN multifunction devices offer color printing, scanning, copying, faxing, and touchscreen convenience, ideal for small workgroups. Designed to fit into almost any workspace, each model comes equipped with Wi-Fi for mobile users and includes HYB full-spectrum security.










	A4 Monochrome	Multifunction Printer		
Product Specifications	HYB-188M38ADN	HYB-188M40ADN	HYB-188M42ADN	
Printing			'	
Display		2.8 inch (7.2 cm) LCD touch panel		
Time to First Page		As fast as: Black: 6.2 seconds		
Print Resolution		Black: 2400 IQ (2400 x 600 dpi), 600 x 600 dpi		
Memory		Standard: 512 MB / Maximum: 512 MB		
Hard Disk		Not Available		
Recommended Monthly Page Volume	500 - 500	00 pages ²	800 - 8000 pages ²	
Maximum Monthly Duty Cycle	Up to: 50000 pa	ages per month 3	Up to: 80000 pages per month 3	
Copying				
Time to First Copy	As fast as: Bla	ck: 6.2 seconds	As fast as: Black: 5.9 seconds	
Scanning				
Scanner Type / ADF Scan	Flatbed scar	ner with ADF	Flatbed scanner with ADF / DADF (single pass Duplex)	
A4/Ltr Simplex Scan Speed	Up to: Black: 48 sides per min	ute / Color: 48 sides per minute	Up to: Black: 50 sides per minute / Color: 50 sides per minute	
A4/Ltr Duplex Scan Speed	Up to: Black: 48 sides per min	ute / Color: 48 sides per minute	Up to: Black: 100 sides per minute / Color: 100 sides per minute	
ADF Paper Input Capacity		Up to: 50 pages		
Faxing				
Modem Speed		ITU T.30, V.34 Half-Duplex, 33.6 Kb	ps	
Supplies ¹				
Laser Cartridge Yields	up to: 3,000 ⁶ -page Cartridge / up to: 15,000 ⁶ -page High Yield Cartridge		up to: 3,000 ⁵ -page Cartridge / up to: 15,000 ⁵ - page High Yield Cartridge / up to: 20,000 ⁵ -page Black Extra High Yield Cartridge	
Imaging Unit Estimated Yield	Up to: 40000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage ⁶			
Cartridge(s) Shipping with Product	BOTTO DO SON AND AND AND AND AND AND AND AND AND AN	Program Toner Cartridge ⁵	3,000 ⁵ -page Black Return Program Toner Cartridge ⁵	
Paper Handling				
Included Paper Handling	100-Sheet Multipurpo	ose Feeder, Integrated Duplex, 150-Sheet	Output Bin, 250-Sheet Input	
Optional Paper Handling		550-Sheet Lockable Tray, 550-Sheet		
Paper Input Capacity	l l	Jp to: Standard: 350 pages / Maximum: 90		
Paper Output Capacity		Jp to: Standard: 150 pages / Maximum: 19		
Media Types Supported		ock, Plain Paper, Envelopes, Refer to the I		
Media Sizes Supported	A6, Oficio, 7 3/4 Envelope, 9 Envelope, JIS	-B5, A4, Legal, A5, Letter, Statement, Exe	cutive, Universal, DL Envelope, Folio, 10 Envelope	
General Information 7				
Standard Ports			USB Compatible with USB 2.0 Specification (Type B), Ethernet 10/100BaseTX (RJ-45)	
Specified Operating Environment	Humidity: 8 to 80% Relative Hum	idity / Temperature: 10 to 32°C (50 to 90°F	F) / Altitude: 0 - 2896 Meters (9,500 Feet)	
Limited Warranty	See Statement of	Limited Warranty: 1-Year Advanced Exch	ange, Next Business Day	
Size / Weight		H x W x D: 13.3 x 16.2 x 14.4 in. / 28.3	2 lb.	
ENERGY STAR Typical Electricity Consumption	TEC: 0.44 kilowatt-hours per week	TEC: 0.44 kilowatt-hours per week	TEC: 0.47 kilowatt-hours per week	













HYB-168PC 24/26/28DW

Small. Dependable. Secure.

Boost the productivity of small workgroups with the HYB-168PC24DW, HYB-168PC26DW, and HYB-168PC28DW. Equipped with high-yield replacement toner cartridges and versatile connectivity options, including Wi-Fi, USB, and gigabit Ethernet, these devices are ideal for busy teams. Powered by a 1-GHz multi-core processor capable of handling larger tasks, they also feature HYB full-spectrum security to safeguard your data.









A4 Color Printer			
Product Specifications	HYB-168PC24DW HYB-	168PC26DW	HYB-168PC28DW
Printing			
Display	2-line All Points Addressable (APA) monochrome	e LCD display	2.8-inch touch screen
Time to First Page	As fast as: Black: 1	0.9 seconds / Color: 10.9 sec	conds
Print Resolution	Black: 4800 CQ (2400 x 60	00 dpi) / Color: 4800 CQ (240	00 x 600 dpi)
Memory	Standard: 5	12 MB / Maximum: 512 MB	
Hard Disk		Not Available	
Recommended Monthly Page Volume	600 - 2500 pages ²		750 - 5000 pages ²
Maximum Monthly Duty Cycle	Up to: 50000 pages per month ³		Up to: 75000 pages per month 3
Supplies ¹			
Laser Cartridge Yields	up to: 4,500 ^s -page Black High Yield Cartridge / up to: 4,500 ^s -page Black and Color (C		up to: 6,000 ⁵ -page Black High Yield Cartridge up to: 6,700 ⁵ -page Color (CMY) High Yield Cartridges / up to: 1,500 ⁵ -page Black and Colo (CMYK) Cartridges
Cartridge(s) Shipping with Product	750 ⁵ -page Black Return Program Toner Cartridge ⁵ , 500 ⁵ -page Color (CMY) Return Program Toner Cartridge ⁵		1500 ⁵ -page Black Return Program Toner Cartridge ⁶ , 1500 ⁵ -page Color (CMY) Return Program Toner Cartridge ⁶
Paper Handling			
Included Paper Handling	100-Sheet Output Bin, Integrated Duplex, Sing	gle-Sheet Manual Feed, 250-	Sheet Input, 150-Sheet Output
Paper Input Capacity	Up to: Standard: 250+1 pages / Maximum: 250+1 pages		Up to: Standard: 250+1 pages / Maximum: 750+1 pages
Paper Output Capacity	Up to: Standard: 1	00 pages / Maximum: 100 pa	ages
Media Types Supported	Paper Labels, Card Stock, Plain Paper, Envelop	es, Glossy Paper, Refer to th	ne Paper & Specialty Media Guide
Media Sizes Supported	A6, Oficio, 7 3/4 Envelope, 9 Envelope, JIS-B5, A4, Legal, A		nvelope, Statement, C5 Envelope, Executive,
General Information 6			
Standard Ports	802.11b/g/n Wireless, USB 2.0 Specification Hi-Speed Cer	tified (Type B), Ethernet	802.11ac Wireless, USB 2.0 Specification Hi-
Noise Level	Operating: 52 dBA (Print)		Operating: 51/53 dBA (Print)
Specified Operating Environment	Humidity: 8 to 80% Relative Humidity / Altitude: 0 -	3048 Meters (10,000 Feet) /	Temperature: 10 to 32°C (50 to 90°F)
Limited Warranty	See Statement of Limited Warra	inty: 1-Year Onsite Repair, N	lext Business Day
Size / Weight	H x W x D: 9.	6 x 16.2 x 15.5 in. / 35.5 lb.	
ENERGY STAR Typical Electricity	TEC: 0.31 kilowatt-hours per week		TEC: 0.36 kilowatt-hours per week











HYB-168P 38/40/42DN

Productivity. Reliability. Security.

Light, compact, and fast, the HYB-168P38DN, HYB-168P40DN, and HYB-168P42DN offer output speeds of up to 38 pages per minute* for the HYB-168P38dn, 40 pages per minute* for the HYB-168P40dn, and 42 pages per minute* for the HYB-168P42dn. With Extra High Yield HYB toner producing up to 20,000 pages* and an optional 550-sheet tray for extended print runs, these models are designed for efficiency. Powered by a 1-GHz multi-core processor, they handle large tasks with ease, while HYB full-spectrum security ensures your sensitive data stays protected.









	A4 Monoc	hrome Printer	
Product Specifications	HYB-168P38DN	HYB-168P40DN	HYB-168P42DN
Printing			<u>'</u>
Display	2-line	All Points Addressable (APA) monochrome L	_CD display
Time to First Page	As fast as: Bla	ack: 6.2 seconds	As fast as: Black: 5.9 seconds
Print Resolution		Black: 2400 IQ (2400 x 600 dpi), 600 x 600	dpi
Memory		Standard: 256 MB / Maximum: 256 MB	
Hard Disk		Not Available	
Recommended Monthly Page Volume		500 - 5000 pages ²	
Maximum Monthly Duty Cycle	Up to: 50000 p	ages per month 3	Up to: 80000 pages per month 3
Supplies ¹			
Laser Cartridge Yields	up to: 3,000 5-page Cartridge / up to: 1	5,000 5-page High Yield Cartridge / up to: 20,	,000 ⁵ -page Black Extra High Yield Cartridge
Imaging Unit Estimated Yield	Up to: 40000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage ⁶		
Cartridge(s) Shipping with Product	1,500 ⁵ -page Return Program Toner Cartridge ⁶ 3,000		3,000 5-page Return Program Toner Cartridge
Paper Handling			
Included Paper Handling	100-Sheet Multipurp	ose Feeder, Integrated Duplex, 150-Sheet O	utput Bin, 250-Sheet Input
Optional Paper Handling		550-Sheet Lockable Tray, 550-Sheet Tra	ay
Paper Input Capacity		Up to: Standard: 350 pages / Maximum: 900	pages
Paper Output Capacity		Up to: Standard: 150 pages / Maximum: 150	pages
Media Types Supported	Paper Labels, Card St	ock, Plain Paper, Envelopes, Refer to the Pap	per & Specialty Media Guide
Media Sizes Supported	A6, Oficio, 7 3/4 Envelope, 9 Envelope, J	S-B5, A4, Legal, A5, Letter, B5 Envelope, Sta Envelope, Folio, 10 Envelope	atement, C5 Envelope, Executive, Universal, DL
General Information 7			
Standard Ports	Fast Ethernet (10/100/1000), USB comp	patible with USB 2.0 specification (Type B)	Gigabit Ethernet (10/100/1000), USB Compatible with USB 2.0 Specification (Type B
Noise Level		Operating: 53 dBA (Print)	
Specified Operating Environment	Humidity: 8 to 80% Relative Hum	nidity / Temperature: 10 to 32°C (50 to 90°F) /	Altitude: 0 - 2896 Meters (9,500 Feet)
Limited Warranty	See Statement o	f Limited Warranty: 1-Year Advanced Exchan	ge, Next Business Day
Size / Weight		H x W x D: 8.7 x 14.5 x 14.3 in. / 20.6 lb	
ENERGY STAR Typical Electricity	TEC: 0.45 kilowatt-hours per week	TEC: 0.45 kilowatt-hours per week	TEC: 0.47 kilowatt-hours per week













HYB-668MC 25/35DW

Versatile. Simple. Sustainable.

With the new HYB-668MC25DW and HYB-668MC35DW color A3 multifunction printers, you get reassuring versatility, exceptional sustainability, and surprising simplicity from advanced technology. Effortlessly create everything your business requires, and custom-configure your multifunction printer with interchangeable options tailored to meet your specific needs.







A3 Colour Multifunction Printer				
Product Specifications HYB-668MC25DW/HYB-668MC35DW				
Printing				
Display	10.1-inch (25.6 cm) color touch screen			
Time to First Page	As fast as: Black: TBD seconds / Color: TBD seconds			
Print Resolution	Black: 1200 x 1200 dpi, 4800 Color Quality / Color: 4800 Color Quality, 1200 x 1200 dpi			
Memory	Standard: 4 GB / Maximum: 4 GB			
Hard Disk	Intelligent Storage Drive included; Magnetic Hard Disk available			
Recommended Monthly Page Volume	4,000 - 20,000 pages ²			
Maximum Monthly Duty Cycle	Up to: 100 000 pages per month ³			
Copying				
Time to First Copy	As fast as: Black: TBD seconds / Color: TBD seconds			
Scanning				
Scanner Type / ADF Scan	Flatbed scanner with automatic document feeder / DADF (single pass Duplex)			
A4/Ltr Simplex Scan Speed	Up to: Black: 200/200 sides per minute / Color: 200/200 sides per minute			
A4/Ltr Simplex Scan Speed	Up to: Black: 100/100 sides per minute / Color: 100/100 sides per minute			
ADF Paper Input Capacity	Up to: 200 pages 20 lb or 75 gsm bond			
Supplies ¹				
Laser Cartridge Yields	up to: 46,900 ⁵ -page Color (CMY) Cartridges / up to: 47,700 ⁵ -page Black Cartridge			
Imaging Unit Estimated Yield	Up to: 225,000 (black) and 250,000 (color) pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage			
Cartridge(s) Shipping with Product	5,000 ⁵ -page Black and Color (CMYK) Toner Cartridges ⁵			
Paper Handling				
Included Paper Handling	500-Sheet Output Bin, 550-Sheet Tray, 150-Sheet Multipurpose Feeder			
Optional Paper Handling	2,250-Sheet Booklet Staple Hole Punch Finisher, 500-Sheet Staple Offset Finisher, Folding Paper Transport Unit, 1,250-Sheet Staple Hole Punch Finisher, Offset Stacker, 1,500-Sheet High-Capacity Tray, Paper Transport Unit, 2000-Sheet Tandem Tray, Cabinet, 2 x 550-Sheet Tray			
Paper Input Capacity	Up to: Standard: 700 pages 20 lb or 75 gsm bond / Maximum: 4750 pages 20 lb or 75 gsm bond			
Paper Output Capacity	Up to: Standard: 500 pages 20 lb or 75 gsm bond / Maximum: 2650 pages 20 lb or 75 gsm bond			
Media Types Supported	Vinyl Labels, Labels, Card Stock, Plain Paper, Envelopes, Glossy Paper, Refer to the Paper & Specialty Media Guide			
Media Sizes Supported	A6, Oficio, 12 x 18", 7 3/4 Envelope, JIS-B4, 9 Envelope, JIS-B5, A3, Ledger, A4, Legal, SRA3, A5, Hagaki Card, Letter, B5 Envelope, C4 Envelope, Statement, C5 Envelope, Executive, DL Envelope, Folio, 10 Envelope			
General Information 6				
Standard Ports	Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), 802.11a/b/g/n/ac + Apple iBeacon, USB 2.0 Specification Hi-Speed Certified (Type B)			
Optional Network Ports / Optional Local Ports	MarkNet N8230 Fiber Ethernet Print Server / Internal 1284-B Bidirectional Parallel, Internal RS-232C serial			
Noise Level	Operating: TBD dBA (Print) / TBD dBA (Copy) / TBD dBA (Scan)			
Specified Operating Environment	Altitude: 0 - 2896 Meters (9,500 Feet) / Humidity: 15 to 80% Relative Humidity / Temperature: 10 to 32.2°C (50 to 90°F)			
Limited Warranty	See Statement of Limited Warranty: 1-Year Onsite Repair, Next Business Day			
Size / Weight	H x W x D: 31.9 x 23.3 x 26.0 in. / 180.2 lb.			













HYB-688MC 35/45/55DW

Versatile. Simple. Sustainable.

With the new HYB-688MC35DW,HYB-688MC45DW and HYB-688MC55DW color A3 multifunction printers, you get reassuring versatility, exceptional sustainability, and surprising simplicity from advanced technology. Effortlessly create everything your business requires, and custom-configure your multifunction printer with interchangeable options tailored to your specific needs.









A3 Colour Multifunction Printer			
Product Specifications	HYB-688MC35DW	HYB-M=688MC45DW	HYB-688MC55DW
Printing			
Display	Lexmark e-Task 10.1-inch (25.6 cm) color touch screen		
Time to First Page	As fast as: Black: 7.1 seconds / Color: 8.2 seconds		
Print Resolution	Black: 1200 x 1200 dpi, 4800 Color Quality / Color: 4800 Color Quality, 1200 x 1200 dpi		
Memory	Standard: 4 GB / Maximum: 4 GB		
Hard Disk	Intelligent Storage Drive included; Magnetic Hard Disk available		
Recommended Monthly Page Volume	4,000 - 20,000 pages 2	7,000 - 50,000 pages ²	
Maximum Monthly Duty Cycle	Up to: 150 000 pages per month 3	Up to: 200 000 pages per month 3	Up to: 270 000 pages per month 3
Copying			
Time to First Copy	As fast as: Black: 8.5 seconds / Color: 9.5 seconds		
Scanning			
Scanner Type / ADF Scan	Flatbed scanner with automatic document feeder / DADF (single pass Duplex)		
A4/Ltr Duplex Scan Speed	Up to: Black: 240/240 sides per minute / Color: 240/240 sides per minute		
A4/Ltr Simplex Scan Speed	Up to: Black: 120/120 sides per minute / Color: 120/120 sides per minute		
ADF Paper Input Capacity	Up to: 300 pages 20 lb or 75 gsm bond		
Supplies 4			
Laser Cartridge Yields	up to: 46,900 ⁵ -page Color (CMY) Cartridges / up to: 47,700 ⁵ -page Black Cartridge		
Imaging Unit Estimated Yield	Up to: 225,000 (black) and 250,000 (color) pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage		
Cartridge(s) Shipping with Product	15,000 ⁵ -page Black Toner Cartridge ⁵ , 12,000 ⁵ -page Color (CMY) Toner Cartridges ⁵		
Paper Handling			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Included Paper Handling	500-Sheet Output Bin, 550-Sheet Tray, 150-Sheet Multipurpose Feeder		
Optional Paper Handling	2,250-Sheet Booklet Staple Hole Punch Finisher, 500-Sheet Staple Offset Finisher, Folding Paper Transport Unit, 1,250-Sheet Staple Hole Punch Finisher, Offset Stacker, 1,500-Sheet High-Capacity Tray, Paper Transport Unit, 2000-Sheet Tray, Cabinet, 2 x 550-Sheet Tray, 550-Sheet Tray		
Paper Input Capacity	Up to: Standard: 700 pages 20 lb or 75 gsm bond / Maximum: 4750 pages 20 lb or 75 gsm bond		
Paper Output Capacity	Up to: Standard: 500 pages 20 lb or 75 gsm bond / Maximum: 2650 pages 20 lb or 75 gsm bond		
Media Types Supported	Vinyl Labels, Labels, Card Stock, Plain Paper, Envelopes, Glossy Paper, Refer to the Paper & Specialty Media Guide		
Media Sizes Supported	A6, Oficio, 12 x 18", 7 3/4 Envelope, JIS-B4, 9 Envelope, JIS-B5, A3, Ledger, A4, Legal, SRA3, A5, Hagaki Card, Letter, B5 Envelope, C4 Envelope, Statement, C5 Envelope, Executive, DL Envelope, Folio, 10 Envelope		
General Information			
Standard Ports	Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), 802.11a/b/g/n/ac + Apple iBeacon, USB 2.0 Specification Hi-Speed Certified (Type B)		
Optional Network Ports / Optional Local Ports	MarkNet N8230 Fiber Ethernet Print Server / Internal 1284-B Bidirectional Parallel, Internal RS-232C serial		
Noise Level	Operating: 46 dBA (Print) / 52 dBA (Copy) / 50 dBA (Scan)	Operating: 50 dBA (Print) / 52 dBA (Copy) / 50 dBA (Scan)	Operating: 51 dBA (Print) / 52 dBA (Copy) / 50 dBA (Scan)
Specified Operating Environment	Altitude: 0 - 2896 Meters (9,500 Feet) / Humidity: 15 to 80% Relative Humidity / Temperature: 10 to 32.2°C (50 to 90°F)		
Limited Warranty	See Statement of Limited Warranty: 1-Year Onsite Repair, Next Business Day		
Size / Weight	H x W x D: 33.8 x 23.3 x 26.0 in. / 198.1 lb.		
ENERGY STAR Typical Electricity Consumption	TEC: 0.58 kilowatt-hours per week		









